

## Chapter 72 Iron and steel

### Notes.

1.- In this Chapter and, in the case of Notes (d), (e) and (f) throughout the Nomenclature, the following expressions have the meanings hereby assigned to them :

#### (a) Pig iron:

Iron-carbon alloys not usefully malleable, containing more than 2 % by weight of carbon and which may contain by weight one or more other elements within the following limits :

- not more than 10 % of chromium
- not more than 6 % of manganese
- not more than 3 % of phosphorus
- not more than 8 % of silicon
- a total of not more than 10 % of other elements.

#### (b) Spiegeleisen

Iron-carbon alloys containing by weight more than 6 % but not more than 30 % of manganese and otherwise conforming to the specification at (a) above.

#### (c) Ferro-alloys

Alloys in pigs, blocks, lumps or similar primary forms in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurising agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4 % or more of the element iron and one or more of the following :

- more than 10 % of chromium
- more than 30 % of manganese
- more than 3 % of phosphorus
- more than 8 % of silicon
- a total of more than 10 % of other elements, excluding carbon, subject to a maximum content of 10% in the case of copper.

#### (d) Steel

Ferrous materials other than those of heading 72.03 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2 % or less of carbon. However, chromium steels may contain higher proportions of carbon.

#### (e) Stainless steel

Alloy steels containing, by weight, 1.2 % or less of carbon and 10.5 % or more of chromium, with or without other elements.

#### (f) Other alloy steel

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown :

- 0.3 % or more of aluminium
- 0.0008 % or more of boron
- 0.3 % or more of chromium
- 0.3 % or more of cobalt
- 0.4 % or more of copper
- 0.4 % or more of lead
- 1.65 % or more of manganese

- 0.08 % or more of molybdenum
- 0.3 % or more of nickel
- 0.06 % or more of niobium
- 0.6 % or more of silicon
- 0.05 % or more of titanium
- 0.3 % or more of tungsten (wolfram)
- 0.1 % or more of vanadium
- 0.05 % or more of zirconium
- 0.1 % or more of other elements (except sulphur, phosphorus, carbon and nitrogen), taken separately.

**(g) Remelting scrap ingots of iron or steel :**

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferro-alloys.

**(h) Granules:**

Products of which less than 90 % by weight passes through a sieve with a mesh aperture of 1 mm and of which 90 % or more by weight passes through a sieve with a mesh aperture of 5 mm.

**(ij) Semi-finished products :**

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and Other products of solid section which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

**(k) Flat-rolled products :**

Rolled products of solid rectangular (other than square) cross-section, which do not conform to the definition at (ij ) above in the form of :

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least ten times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves ribs chequers tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

**(l) Bars and rods, hot-rolled, in irregularly wound coils**

Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals rectangles (including squares), triangles or other convex polygons (including " flattened circles " and " modified rectangles ", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

**(m) Other bars and rods:**

Products which do not conform to any of the definitions at (ij), (k) or (1) above or to the definition of wire, which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals rectangles (including squares), triangles or other convex polygons (including " flattened circles " and " modified rectangles ", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may :

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);
- be twisted after rolling.

**(n) Angles, shapes and sections**

Products having a uniform solid cross-section along their whole length which do not conform to any of the definitions at (ij), (k), (1) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 73.01 or 73.02.

**(o) Wire**

Cold-formed products in coils, of any uniform solid cross-section along their whole length, which do not conform to the definition of flat-rolled products.

**(p) Hollow drill bars and rods:**

Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 73.04.

2.- Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.

3.- Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this Chapter appropriate to similar hot-rolled products.

**Subheading Notes.**

I .- In this Chapter the following expressions have the meanings hereby assigned to them :

**(a) Alloy pig iron**

Pig iron containing, by weight, one or more of the following elements in the specified proportions :

- more than 0.2 % of chromium
- more than 0.3 % of copper
- more than 0.3 % of nickel
- more than 0.1 % of any of the following elements : aluminium, molybdenum, titanium, tungsten (wolfram), vanadium.

**(b) Non-alloy free-cutting steel:**

Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions :

- 0.08 % or more of sulphur
- 0. 1 % or more of lead
- more than 0.05 % of selenium
- more than 0.01 % of tellurium
- more than 0.05 % of bismuth.

**(c) Silicon-electrical steel:**

Alloy steels containing by weight at least 0.6 % but not more than 6 % of silicon and not more than 0.08 % of carbon. They may also contain by weight not more than 1 % of aluminium but no other element in a proportion that would give the steel the characteristics of another alloy steel.

**(d) High speed steel:**

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7 % or more, 0.6 % or more of carbon and 3 to 6 % of chromium.

**(e) Silico-manganese steel**

Alloy steels containing by weight :

- not more than 0.7 % of carbon,
- 0.5 % or more but not more than 1.9 % of manganese, and
- 0.6 % or more but not more than 2.3 % of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.

2.- For the classification of ferro-alloys in the subheadings of heading 72.02 the following rule should be observed :

A ferro-alloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in Chapter Note I (c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule the unspecified " other elements " referred to in Chapter Note I (c) must each exceed 10 % by weight.

HEADING NO	H.S CODE	DESCRIPTION	UINT	DUTY RATE
		I.- PRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM		
<b>72.01</b>		<b>Pig iron and spiegeleisen in pigs, blocks or other primary forms.</b>		
	72 01 10 00	- Non-alloy pig iron containing by weight 0.5% or less of phosphorus:	Value	5%
	72 01 20 00	- Non-alloy pig iron containing by weight more than 0.5% of phosphorus	Value	5%
	72 01 50 00	- Alloy pig iron; spiegeleisen	Value	5%
<b>72.02</b>		<b>Ferro-alloys.</b>		
		- Ferro-manganese :		
	72 02 11 00	- - Containing by weight more than 2% of carbon	Value	5%
	72 02 19 00	- - Other	Value	5%
		- Ferro-silicon :		
	72 02 21 00	- - Containing by weight more than 55% of silicon	Value	5%
	72 02 29 00	- - Other	Value	5%
	72 02 30 00	- Ferro-silico-manganese	Value	5%
		- Ferro-chromium :		
	72 02 41 00	- - Containing by weight more than 4% of carbon	Value	5%
	72 02 49 00	- - Other	Value	5%
	72 02 50 00	- Ferro-silico-chromium	Value	5%

HEADING NO	H.S CODE	DESCRIPTION	UINT	DUTY RATE
	72 02 60 00	- Ferro-nickel	Value	5%
	72 02 70 00	- Ferro-molybdenum	Value	5%
	72 02 80 00	- Ferro-tungsten and ferro-silico-tungsten	Value	5%
		- Other :		
	72 02 91 00	- - Ferro-titanium and ferro-silico-titanium	Value	5%
	72 02 92 00	- - Ferro-vanadium	Value	5%
	72 02 93 00	- - Ferro-niobium	Value	5%
	72 02 99 00	- - Other	Value	5%
<b>72.03</b>		<b>Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94 %,in lumps, pellets or similar forms.</b>		
	72 03 10 00	- Ferrous products obtained by direct reduction of iron ore	Value	5%
	72 03 90 00	- Other	Value	5%
<b>72.04</b>		<b>Ferrous waste and scrap; remelting scrap ingots of iron or steel.</b>		
	72 04 10 00	- Waste and scrap of cast iron	Value	5%
		- Waste and scrap of alloy steel :		
	72 04 21 00	- - Of stainless steel	Value	5%
	72 04 29 00	- - Other	Value	5%
	72 04 30 00	- Waste and scrap of tinned iron or steel	Value	5%
		- Other waste and scrap :		
	72 04 41 00	- - Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles	Value	5%
	72 04 49 00	- - Other	Value	5%
	72 04 50 00	- Remelting scrap Ingots	Value	5%
<b>72.05</b>		<b>Granules and powders, of pig iron, spiegeleisen, iron or steel.</b>		
	72 05 10 00	- Granules	Value	5%
		- Powders :		
	72 05 21 00	- - Of alloy steel	Value	5%
	72 05 29 00	- - Other	Value	5%
		II.- IRON AND NON-ALLOY STEEL		
<b>72.06</b>		<b>Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading 72.03).</b>		
	72 06 10 00	- Ingots	Value	5%
	72 06 90 00	- Other	Value	5%
<b>72.07</b>		<b>Semi-finished products of iron or non-alloy steel.</b>		

HEADING NO	H.S CODE	DESCRIPTION	UINT	DUTY RATE
		- Containing by weight less than 0.25% of carbon :		
	72 07 11 00	- - Of rectangular (including square) cross-section, the width measuring less than twice the thickness	Value	5%
	72 07 12 00	- - Other, of rectangular (other than square) cross-section	Value	5%
	72 07 19 00	- - Other	Value	5%
	72 07 20 00	- Containing by weight 0.25% or more of carbon	Value	5%
<b>72.08</b>		<b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated.</b>		
	72 08 10 00	- in coils, not further worked than hot-rolled, with patterns in relief	Value	5%
		- Other, in coils, not further worked than hot-rolled, pickled :		
	72 08 25 00	- - Of a thickness of 4.75 mm or more	Value	5%
	72 08 26 00	- - Of a thickness of 3 mm or more but less than 4.75 mm	Value	5%
	72 08 27 00	- - Of a thickness of less than 3 mm	Value	5%
		- Other, in coils, not further worked than hot-rolled :		
	72 08 36 00	- - Of a thickness exceeding 10 mm	Value	5%
	72 08 37 00	- - Of a thickness of 4.75 mm or more but not exceeding 10 mm	Value	5%
	72 08 38 00	- - Of a thickness of 3 mm or more but less than 4.75 mm	Value	5%
	72 08 39 00	- - Of a thickness of less than 3 mm	Value	5%
	72 08 40 00	- Not in coils, not further worked than hot-rolled, with patterns in relief	Value	5%
		- Other, not in coils, not further worked than hot-rolled:		
	72 08 51 00	- - Of a thickness exceeding 10 mm	Value	5%
	72 08 52 00	- - Of a thickness of 4.75 mm or more but not exceeding 10 mm	Value	5%
	72 08 53 00	- - Of a thickness of 3 mm or more but less than 4.75 mm	Value	5%
	72 08 54 00	- - Of a thickness of less than 3 mm	Value	5%
	72 08 90 00	- Other	Value	5%
<b>72.09</b>		<b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated.</b>		
		- In coils, not further worked than cold-rolled (cold-reduced) :		
	72 09 15 00	- - Of a thickness of 3 mm or more	Value	5%

HEADING NO	H.S CODE	DESCRIPTION	UINT	DUTY RATE
	72 09 16 00	- - Of a thickness exceeding 1 mm but less than 3 mm	Value	5%
	72 09 17 00	- - Of a thickness of 0.5 mm or more but not exceeding 1 mm	Value	5%
	72 09 18 00	- - Of a thickness of less than 0.5 mm	Value	5%
		- Not in coils, not further worked than cold-rolled (cold-reduced) :		
	72 09 25 00	- - Of a thickness of 3 mm or more	Value	5%
	72 09 26 00	- - Of a thickness exceeding 1 mm but less than 3 mm	Value	5%
	72 09 27 00	- - Of a thickness of 0.5 mm or more but not exceeding 1 mm	Value	5%
	72 09 28 00	- - Of a thickness of less than 0.5 mm	Value	5%
	72 09 90 00	- Other	Value	5%
<b>72.10</b>		<b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated.</b>		
		- Plated or coated with tin :		
	72 10 11 00	- - Of a thickness of 0.5 mm or more	Value	5%
	72 10 12 00	- - Of a thickness of less than 0.5 mm	Value	5%
	72 10 20 00	- Plated or coated with lead, including terne-plate	Value	5%
	72 10 30 00	- Electrolytically plated or coated with zinc	Value	5%
		- Otherwise plated or coated with zinc :		
	72 10 41 00	- - Corrugated	Value	5%
	72 10 49 00	- - Other	Value	5%
	72 10 50 00	- Plated or coated with chromium oxides or with chromium and chromium oxides	Value	5%
		- Plated or coated with aluminium :		
	72 10 61 00	- - Plated or coated with aluminium-zinc alloys	Value	5%
	72 10 69 00	- - Other	Value	5%
	72 10 70 00	- Painted, varnished or coated with plastics	Value	5%
	72 10 90 00	- Other	Value	5%
<b>72.11</b>		<b>Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated.</b>		
		- Not further worked than hot-rolled :		
	72 11 13 00	- - Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	Value	5%

HEADING NO	H.S CODE	DESCRIPTION	UINT	DUTY RATE
	72 11 14 00	- - Other, of a thickness of 4.75 mm or more	Value	5%
	72 11 19 00	- - Other	Value	5%
		- Not further worked than cold-rolled (cold-reduced) :		
	72 11 23 00	- - Containing by weight less than 0.25% of carbon	Value	5%
	72 11 29 00	- - Other	Value	5%
	72 11 90 00	- Other	Value	5%
<b>72.12</b>		<b>Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated.</b>		
	72 12 10 00	- Plated or coated with tin	Value	5%
	72 12 20 00	- Electrolytically plated or coated with zinc	Value	5%
	72 12 30 00	- Otherwise plated or coated with zinc	Value	5%
	72 12 40 00	- Painted, varnished or coated with plastics	Value	5%
	72 12 50 00	- Otherwise plated or coated	Value	5%
	72 12 60 00	- Clad	Value	5%
<b>72.13</b>		<b>Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel.</b>		
	72 13 10 00	- Containing indentations, ribs, grooves or other deformations produced during the rolling process	Value	5%
	72 13 20 00	- Other, of free-cutting steel	Value	5%
		- Other :		
	72 13 91 00	- - Of circular cross-section measuring less than 14 mm in diameter	Value	5%
	72 13 99 00	- - Other	Value	5%
<b>72.14</b>		<b>Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling.</b>		
		- Forged:		
	72 14 10 10	- - - Of circular cross-section measuring less than 10mm in diameter	Value	5%
	72 14 10 20	- - - Of circular cross-section measuring 10-32 mm in diameter	Value	5%
	72 14 10 90	- - - Other	Value	5%



HEADING NO	H.S CODE	DESCRIPTION	UINT	DUTY RATE
		- Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling:		
	72 14 20 10	- - - Of circular cross-section measuring less than 10mm in diameter	Value	5%
	72 14 20 20	- - - Of circular cross-section measuring 10-32 mm in diameter	Value	5%
	72 14 20 90	- - - Other	Value	5%
		- Other, of free-cutting steel:		
	72 14 30 10	- - - Of circular cross-section measuring less than 10mm in diameter	Value	5%
	72 14 30 20	- - - Of circular cross-section measuring 10-32 mm in diameter	Value	5%
	72 14 30 90	- - - Other	Value	5%
		- Other :		
	72 14 91 00	- - Of rectangular (other than square) cross-section	Value	5%
	72 14 99 00	- - Other	Value	5%
<b>72.15</b>		<b>Other bars and rods of iron or non-alloy steel.</b>		
		- Of free-cutting steel, not further worked than cold-formed or cold-finished:		
	72 15 10 10	- - - Of circular cross-section measuring less than 10mm in diameter	Value	5%
	72 15 10 20	- - - Of circular cross-section measuring 10-32 mm in diameter	Value	5%
	72 15 10 90	- - - Other	Value	5%
		- Other, not further worked than cold-formed or cold-finished:		
	72 15 50 10	- - - Of circular cross-section measuring less than 10mm in diameter	Value	5%
	72 15 50 20	- - - Of circular cross-section measuring 10-32 mm in diameter	Value	5%
	72 15 50 90	- - - Other	Value	5%
		- Other:		
	72 15 90 10	- - - Of circular cross-section measuring less than 10mm in diameter	Value	5%

HEADING NO	H.S CODE	DESCRIPTION	UINT	DUTY RATE
	72 15 90 20	- - - Of circular cross-section measuring 10-32 mm in diameter	Value	5%
	72 15 90 90	- - - Other	Value	5%
<b>72.16</b>		<b>Angles, shapes and sections of iron or non-alloy steel.</b>		
	72 16 10 00	- U, I or H sections, not further worked than hot-rolled, hotdrawn or extruded, of a height of less than 80 mm	Value	5%
		- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm :		
	72 16 21 00	- - L sections	Value	5%
	72 16 22 00	- - T sections	Value	5%
		- U, I or H sections, not further worked than hot-rolled, hotdrawn or extruded of a height of 80 mm or more :		
		- - U sections:		
	72 16 31 10	- - - Of a height of 80 mm or more, but not exceeding 220 mm	Value	5%
	72 16 31 20	- - - Of a height exceeding 220 mm	Value	5%
		- - I sections:		
	72 16 32 10	- - - Of a height of 80 mm or more, but not exceeding 220 mm	Value	5%
	72 16 32 20	- - - Of a height exceeding 220 mm	Value	5%
		- - H sections:		
	72 16 33 10	- - - Of a height of 80 mm or more, but not exceeding 220 mm	Value	5%
	72 16 33 20	- - - Of a height exceeding 220 mm	Value	5%
		- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:		
	72 16 40 10	- - - Of a height of 80 mm or more, but not exceeding 220 mm	Value	5%
	72 16 40 20	- - - Of a height exceeding 220 mm	Value	5%
	72 16 50 00	- Other angles, shapes and sections, not further worked than hotrolled, hot-drawn or extruded	Value	5%
		- Angles, shapes and sections, not further worked than coldformed or cold-finished :		
	72 16 61 00	- - Obtained from flat-rolled products	Value	5%
	72 16 69 00	- - Other	Value	5%
		- Other :		
	72 16 91 00	- - Cold-formed or cold-finished from flat-rolled products	Value	5%
	72 16 99 00	- - Other	Value	5%
<b>72.17</b>		<b>Wire of iron or non-alloy steel.</b>		

HEADING NO	H.S CODE	DESCRIPTION	UINT	DUTY RATE
	72 17 10 00	- Not plated or coated, whether or not polished	Value	5%
	72 17 20 00	- Plated or coated with zinc	Value	5%
	72 17 30 00	- Plated or coated with other base metals	Value	5%
	72 17 90 00	- Other	Value	5%
		III.- STAINLESS STEEL		
<b>72.18</b>		<b>Stainless steel in ingots or other primary forms; semi-finished products of stainless steel.</b>		
	72 18 10 00	- Ingots and other primary forms	Value	5%
		- Other :		
	72 18 91 00	- - Of rectangular (other than square) cross-section	Value	5%
	72 18 99 00	- - other	Value	5%
<b>72.19</b>		<b>Flat-rolled products of stainless steel, of a width of 600 mm or more.</b>		
		- Not further worked than hot-rolled, in coils :		
	72 19 11 00	- - Of a thickness exceeding 10 mm	Value	5%
	72 19 12 00	- - Of a thickness of 4.75 mm or more but not exceeding 10 mm	Value	5%
	72 19 13 00	- - Of a thickness of 3 mm or more but less than 4.75 mm	Value	5%
	72 19 14 00	- - Of a thickness of less than 3 mm	Value	5%
		- Not further worked than hot-rolled, not in coils :		
	72 19 21 00	- - Of a thickness exceeding 10 mm	Value	5%
	72 19 22 00	- - Of a thickness of 4.75 mm or more but not exceeding 10 mm	Value	5%
	72 19 23 00	- - Of a thickness of 3 mm or more but less than 4.75 mm	Value	5%
	72 19 24 00	- - Of a thickness of less than 3 mm	Value	5%
		- Not further worked than cold-rolled (cold-reduced) :		
	72 19 31 00	- - Of a thickness of 4.75 mm or more	Value	5%
	72 19 32 00	- - Of a thickness of 3 mm or more but less than 4.75 mm	Value	5%
	72 19 33 00	- - Of a thickness exceeding 1 mm but less than 3 mm	Value	5%
	72 19 34 00	- - Of a thickness of 0.5 mm or more but not exceeding 1 mm	Value	5%
	72 19 35 00	- - Of a thickness of less than 0.5 mm	Value	5%
	72 19 90 00	- Other	Value	5%
<b>72.20</b>		<b>Flat-rolled products of stainless steel, of a width of less than 600 mm.</b>		
		- Not further worked than hot-rolled :		
	72 20 11 00	- - Of a thickness of 4.75 mm or more	Value	5%

HEADING NO	H.S CODE	DESCRIPTION	UIN	DUTY RATE
	72 20 12 00	- - Of a thickness of less than 4.75 mm	Value	5%
	72 20 20 00	- Not further worked than cold-rolled (cold-reduced)	Value	5%
	72 20 90 00	- Other	Value	5%
<b>72.21</b>	72 21 00 00	<b>Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel.</b>	Value	5%
<b>72.22</b>		<b>Other bars and rods of stainless steel; angles, shapes and sections of stainless steel.</b>		
		- Bars and rods, not further worked than hot-rolled, hot-drawn or extruded :		
	72 22 11 00	- - Of circular cross-section	Value	5%
	72 22 19 00	- - Other	Value	5%
	72 22 20 00	- Bars and rods, not further worked than cold-formed or cold-finished	Value	5%
	72 22 30 00	- Other bars and rods	Value	5%
	72 22 40 00	- Angles, shapes and sections	Value	5%
<b>72.23</b>	72 23 00 00	<b>Wire of stainless steel.</b>	Value	5%
		IV.- OTHER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NON-ALLOY STEEL		
<b>72.24</b>		<b>Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel.</b>		
	72 24 10 00	- Ingots and other primary forms	Value	5%
	72 24 90 00	- Other	Value	5%
<b>72.25</b>		<b>Flat-rolled products of other alloy steel, of a width of 600 mm or more.</b>		
		- Of silicon-electrical steel :		
	72 25 11 00	- - Grain-oriented	Value	5%
	72 25 19 00	- - Other	Value	5%
	72 25 30 00	- Other, not further worked than hot-rolled, in coils	Value	5%
	72 25 40 00	- Other, not further worked than hot-rolled, not in coils	Value	5%
	72 25 50 00	- Other, not further worked than cold-rolled (cold-reduced)	Value	5%
		- Other :		
	72 25 91 00	- - Electrolytically plated or coated with zinc	Value	5%
	72 25 92 00	- - Otherwise plated or coated with zinc	Value	5%
	72 25 99 00	- - Other	Value	5%

HEADING NO	H.S CODE	DESCRIPTION	UINT	DUTY RATE
<b>72.26</b>		<b>Flat-rolled products of other alloy steel, of a width of less than 600 mm.</b>		
		- Of silicon-electrical steel :		
	72 26 11 00	- - Grain-oriented	Value	5%
	72 26 19 00	- - Other	Value	5%
	72 26 20 00	- Of high speed steel	Value	5%
		- Other :		
	72 26 91 00	- - Not further worked than hot-rolled	Value	5%
	72 26 92 00	- - Not further worked than cold-rolled (cold-reduced)	Value	5%
	72 26 99 00	- - Other	Value	5%
<b>72.27</b>		<b>Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel.</b>		
	72 27 10 00	- Of high speed steel	Value	5%
	72 27 20 00	- Of silico-manganese steel	Value	5%
	72 27 90 00	- Other	Value	5%
<b>72.28</b>		<b>Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel.</b>		
	72 28 10 00	- Bars and rods, of high speed steel	Value	5%
	72 28 20 00	- Bars and rods, of silico-manganese steel	Value	5%
	72 28 30 00	- Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded	Value	5%
	72 28 40 00	- Other bars and rods, not further worked than forged	Value	5%
	72 28 50 00	- Other bars and rods, not further worked than cold-formed or cold-finished	Value	5%
	72 28 60 00	- Other bars and rods	Value	5%
	72 28 70 00	- Angles, shapes and sections	Value	5%
	72 28 80 00	- Hollow drill bars and rods	Value	5%
<b>72.29</b>		<b>Wire of other alloy steel .</b>		
	72 29 20 00	- Of silico-manganese steel	Value	5%
	72 29 90 00	- Other	Value	5%