Chapter 74

Copper and articles thereof

Note.

I .- In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Refined copper

Metal containing at least 99.85 % by weight of copper; or

Metal containing at least 97.5 % by weight of copper, provided that the content by weight of any other element does not exceed the limit specified in the following table :

TABLE - Other elements

	Limiting content % by weight	
A g	Silver	0.25
As	Arsenic	0.5
C d	Cadmium	1.3
Cr	Chromium	1.4
Mg	Magnesium	0.8
Pb	Lead	1.5
S	Sulphur	0.7
Sn	Tin	0.8
Te	Tellurium	0.8
Zn	Zinc	1
Zr	Zirconium	0.3
C	0.3	

^{*} Other elements are, for example, Al, Be, Co, Fe, Mn, Ni, Si.

(b) Copper alloys

Metallic substances other than unrefined copper in which copper predominates by weight over each of the other elements, provided that :

- (i) the content by weight of at least one of the other elements is greater than the limit specified in the foregoing table; or
 - (ii) the total content by weight of such other elements exceeds 2.5 %.

(c) Master allovs

Alloys containing with other elements more than 10 % by weight of copper, not usefully malleable and commonly used as an additive in the manufacture of other alloys or as de-oxidants, desulphurising agents or for similar uses in the metallurgy of non-ferrous metals. However copper phosphide .(phosphor copper) containing more than 15 % by weight of phosphorus falls in heading No 28.48

(d) Bars and rods

Rolled, extruded, drawn or forged products, not in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles" of which two opposite sides are convex arcs the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-sectuion may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross-section exceeds one-tenth of the width. The expression also covers cast or sintered products, of the same forms and dimensions, which have been subsequently worked after production (otherwise than by simple trimming or de-scaling), provided that they have not thereby assumed the character of articles or products of other headings.

Wire-bars and billets with their ends tapered or otherwise worked simply to facilitate their entry into machines for converting them into, for example, drawing stock (wire-rod) or tubes, are however to be taken to be unwrought copper of heading 74.03.

(e) Profiles

Rolled extruded, drawn, forged or formed products, coiled or not, of a uniform cross-section along their whole length, which do not conform to any of the definitions of bars, rods, wire, plates, sheets, strip foil, tubes or pipes. The expression also covers cast or sintered products, of the same forms, which have been subsequently worked after production (otherwise than by simple trimming or de-scaling), provided that they have not thereby assumed the character of articles or products of other headings.

(f) Wire

Rolled extruded or drawn products, in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square) triangular or polygonal cross-section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross-section exceeds one-tenth of the width.

(g) Plates, sheets, strip and foil

Flat-surfaced products (other than the unwrought products of heading 74.03).coiled or not, of solid rectangular (other than square) cross-section with or without rounded corners (including " modified rectangles " of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel) of a uniform thickness, which are :

- of rectangular (including square) shape with a thickness not exceeding one-tenth of the width
- of a shape other than rectangular or square, of any size, provided that they do not assume the character of articles or products of other headings.

headings 74.09 and 74.10 apply, inter alia, to plates, sheets, strip and foil with patterns (for example grooves, ribs chequers tears, buttons, lozenges) and to such products which have been perforated, corrugated, polished or coated, provided that they do not thereby assume the character of articles or products of other headings.

(h) Tubes and pipes

Hollow products, coiled or not, which have a uniform cross-section with only one enclosed void along their whole length in the shape of circles, ovals, rectangles (including squares), cquilateral triangles or regular convex polygons and which have a uniform wall thickness. Products with a rectangular (including square), equilateral triangular or regular convex polygonal cross-section which may have corners rounded along their whole length, are also to be taken to be tubes and pipes provided the inner and outer cross-sections are concentric and have the same form and orientation. Tubes and pipes of the foregoing cross-sections may be polished, coated, bent, threaded, drilled, waisted, expanded, cone-shaped or fitted with flanges, collars or rings.

Subheading Note.

I.- In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Copper-zinc base alloys (brasses)

Alloys of copper and zinc, with or without other elements. When other elements are present:

- zinc predominates by weight over each of such other elements:
- any nickel content by weight is less than 5 % (see copper-nickel-zinc alloys (nickel silvers)); and
 - any tin content by weight is less than 3 % (see copper-tin alloys (bronzes)).

(b) Copper-tin base alloys (bronzes):

Alloys of copper and tin, with or without other elements. When other elements are present tin predominates by weight over each of such other elements, except that when the tin content is 3 % or more the zinc content by weight may exceed that of tin but must be less than 10 %.

(c) Copper-nickel-zinc base alloys (nickel silvers):

Alloys of copper, nickel and zinc, with or without other elements. The nickel content is 5% or more by weight (see copper-zinc alloys (brasses).

(d) Copper-nickel base alloys

Alloys of copper and nickel with or without other elements but in any case containing by weight not more than 1% of zinc. When other elements are present, nickel predominates by weight over each of such other elements.

HEADING NO	H.S CODE	DESCRIPTION	UINT	DUTY RATE
74.01	74 01 00 00	Copper mattes; cement copper (precipitated copper).	Value	5%
74.02	74 02 00 00	Unrefined copper; copper anodes for electrolytic refining.	Value	5%

HEADING NO	H.S CODE	DESCRIPTION	UINT	DUTY RATE
74.03		Refined copper and copper alloys, unwrought.		
		- Refined copper :		
	74 03 11 00	Cathodes and sections of cathodes	Value	5%
	74 03 12 00	Wire-bars	Value	5%
	74 03 13 00	Billets	Value	5%
	74 03 19 00	Other	Value	5%
		- Copper alloys :		
	74 03 21 00	Copper-zinc base alloys (brass)	Value	5%
	74 03 22 00	Copper-tin base alloys (bronze)	Value	5%
	74 03 29 00	Other copper alloys (other than master alloys of heading 74.05)	Value	5%
74.04	74 04 00 00	Copper waste and scrap	Value	5%
74.05	74 05 00 00	Master alloys of copper	Value	5%
74.06		Copper powders and flakes.		
	74 06 10 00	- Powders of non-lamellar structure	Value	5%
	74 06 20 00	- Powders of lamellar structure; flakes	Value	5%
74.07		Copper bars, rods and profiles.		
	74 07 10 00	- Of refined copper	Value	5%
		- Of copper alloys :		
	74 07 21 00	Of copper-zinc base alloys (brass)	Value	5%
	74 07 29 00	Other	Value	5%
74.08		Copper wire.		
		- Of refined copper :		
	74 08 11 00	Of which the maximum cross- sectional dimension exceeds 6 mm	Value	5%
	74 08 19 00	Other	Value	5%
		- Of copper alloys :		
	74 08 21 00	Of copper-zinc base alloys (brass)	Value	5%
	74 08 22 00	Of copper-nickel base alloys (cupro- nickel) or copper-niekel-zinc base alloys (nickel silver)	Value	5%
	74 08 29 00	Other	Value	5%
74.09		Copper plates, sheets and strip, of a thickness exceeding 0.15 mm.		
		- Of refined copper :		
	74 09 11 00	In coils	Value	5%
	74 09 19 00	Other	Value	5%
		- Of copper-zinc base alloys (brass) :		

HEADING NO	H.S CODE	DESCRIPTION	UINT	DUTY RATE
	74 09 21 00	In coils	Value	5%
	74 09 29 00	Other	Value	5%
		- Of copper-tin base alloys (bronze) :		
	74 09 31 00	In coils	Value	5%
	74 09 39 00	Other	Value	5%
	74 09 40 00	- Of copper-nickel base alloys (cupro- nickel) or copper-nickel-zinc base alloys (nickel silver)	Value	5%
	74 09 90 00	- Of other copper alloys	Value	5%
74.10		Copper foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0.15 mm.		
		- Not backed :		
	74 10 11 00	Of refined copper	Value	5%
	74 10 12 00	Of copper alloys	Value	5%
		- Backed :		
	74 10 21 00	Of refined copper	Value	5%
	74 10 22 00	Of copper alloys	Value	5%
74.11		Copper tubes and pipes.		
	74 11 10 00	- Of refined copper	Value	5%
		- Of copper alloys :		
	74 11 21 00	Of copper-zinc base alloys (brass)	Value	5%
	74 11 22 00	Of copper-nickel base alloys (cupro-nickel) or copper-nickel zinc base alloys (nickel silver)	Value	5%
	74 11 29 00	Other	Value	5%
74.12		Copper tube or pipe fittings (for example. couplings, elbows, sleeves).		
	74 12 10 00	- Of refined copper	Value	5%
	74 12 20 00	- Of copper alloys	Value	5%
74.13	74 13 00 00	Stranded wire, cables, plaited bands and the like, of copper, not electrically insulated.	Value	5%
74.14		Deleted		

HEADING NO	H.S CODE	DESCRIPTION	UINT	DUTY RATE
74.15		Nails, tacks, drawing pins, staples (other than those of heading 83.05) and similar articles, of copper or of iron or steel with heads of copper; screws, bolts, nuts, screw hooks, rivets, cotters, cotter-pins, washers (including spring washers) and similar articles, of copper.		
	74 15 10 00	- Nails and tacks, drawing pins, staples and similar articles	Value	5%
	74.45.04.00	- Other articles, not threaded :	\	F 0/
	74 15 21 00	Washers (including spring washers)	Value	5%
	74 15 29 00	Other	Value	5%
	74.45.00.00	- Other threaded articles :	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	5 0/
	74 15 33 00 74 15 39 00	Screws; bolts and nuts Other	Value Value	5% 5%
74.16	7 + 10 00 00	Deleted	value	370
74.17		Deleted		
74.18		Table, kitchen or other household articles and parts thereof, of copper; pot scourers and scouring or polishing pads, gloves and the like, of copper; sanitary ware and parts thereof, of copper.		
	74 18 10 00	- Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like:	Value	5%
	74 18 20 00	- Sanitary ware and parts thereof	Value	5%
74.19		Other articles of copper.		
	74 19 10 00	- Chain and parts thereof	Value	5%
		- Other :		
		Cast, moulded, stamped or forged, but not further worked:		
	74 19 91 10	Radiator plates	Value	5%

HEADING NO	H.S CODE	DESCRIPTION	UINT	DUTY RATE
	74 19 91 20	Reservoirs, tanks, vats and similar containers for any material (excluding liquefied gas) of a capacity exceeding 300 l, not fitted with mechanical or thermal devices, whether or not lined or heat-insulated	Value	5%
	74 19 91 90	Other	Value	5%
		Other :		
	74 19 99 10	Radiator plates	Value	5%
	74 19 99 20	Reservoirs, tanks, vats and similar containers for any material (excluding liquefied gas) of a capacity exceeding 300 I, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated	Value	5%
	74 19 99 30	Containers for compressed or liquefied gas	Value	5%
	74 19 99 40	Cathodes of copper or copper alloy for electro-plating	Value	5%
	74 19 99 50	Articles of copper wires (traps, waste baskets etc)	Value	5%
	74 19 99 60	Non-mechanical ventilators	Value	5%
	74 19 99 70	Venetian Blinds	Value	5%
	74 19 99 80	Clips for water hoeses	Value	5%
	74 19 99 90	Other	Value	5%